



WATERTIGHT SYSTEM

CATALOG & LIST PRICE BOOK 2026

EASY-TO-INSTALL WATERPROOF PROTECTION

Proven moisture, mold, and mildew protection that contractors trust and distributors stand behind. Triton's Watertight System combines our unmatched material technology with an installation process built for speed, safety, and resiliency.



TECHNOLOGY

MAXIMIZE THE PERFORMANCE AND PROTECTION OF YOUR BUILDING SUBSTRATE WITH TRITON® TECHNOLOGY



TRITON® Technology is a patented nanomolecular veneer cement technology based on magnesium oxide (MgO) - engineered for unmatched strength, safety, and sustainability.

The highly innovative cement technology can be used as the basis for various building materials, including tile backer, sub-flooring, and more. It delivers a comprehensive combination of fire resistance, mold and mildew resistance, water tolerance, breathability, and strength—no matter the material application. This advancement is made possible by Triton's development of a revolutionary nanomolecular veneer and its ability to engineer performance into the substrate.

BENEFITS

- Versatility to perform as the substrate for better building materials
- Resistant to fire, mold, and mildew
- Crystalline silica free
- No harsh chemical additives
- Tolerant to water
- Breathable and strong

TRITON® TECHNOLOGY DELIVERS THESE PERFORMANCE BENEFITS NATURALLY



TABLE OF CONTENTS

The Watertight System permanently protects from leaks and water damage, and naturally prevents mold and mildew in the substrate.



Pg.04

**TRITON® WATERPROOF
BACKER BOARD**



Pg.05

TRITON® BACKER BOARD




Pg.06

WATERPROOF MEMBRANE



Pg.07

**MEMBRANE COMPONENTS &
ACCESSORIES**



Pg.08

**WATERPROOF BENCHES,
NICHES & CURBS**



Pg.09

**PRE-SLOPED SHOWER PAN
DRAIN KIT**



Pg.10 - 11

**MUD BED DRAIN KIT
& COMPONENTS**



Pg.12

DECOUPLING MAT



Pg.13

**LIQUID WATERPROOF
MEMBRANE**



Pg.14

Warranty

TRITON® WATERPROOF BACKER BOARD

Our Waterproof Backer Board combines all the proven performance of our original TRITON® Backer Board with the added advantage of a factory-applied, fully integrated waterproof membrane - delivering reliable protection in a single, ready-to-install solution.



**INSECT
RESISTANT**



**CRYSTALLINE
SILICA FREE**



**FIRE
RESISTANT**



**MOLD &
MILDEW RESISTANT**



**MOISTURE
RESISTANT**



WATERPROOF



BENEFITS

- **Higher-Performance:** High-strength cement technology with no peeling, swelling or delaminating
- **Contractor Friendly:** Ultra-lightweight (1/3 lighter than leading competitor) & easy to score, snap, fasten, and install
- **People & Planet Safe:** Free of crystalline silica, VOCs, and harsh chemicals
- **Hassle Free:** Acts as a low-dust and durable substrate
- **Quality Assured:** factory applied waterproof & vapor barrier membrane; consistent performance & structural integrity
- **Time Efficient:** provides backer support and waterproofing in a single step, saving time during install

STANDARDS

- ICC-ES PMG-1436 Listing
- Intertek certified Class 1 (ICC) and Class A (NFPA) product
- ANSI A118.9 Specifications for Test Methods and Specifications for Cementitious Backer Units
- ANSI A118.10 Specifications for Load Bearing, Bonded, Waterproof Membranes for Thin-set Ceramic Tile & Dimension Stone Installation



TRITON® WATERPROOF BACKERBOARD	Part #	Dimensions	Pallet QTY	Pallets / Truck	Priced As	LIST PRICE
- Triton Waterproof Backer Board 1/2"x3'x5'	TWB05035B	1/2"x3'x5' 15ft ²	70	22	Per Sheet	\$40.00
- Triton Waterproof Backer Board 1/2"x4'x8'	TWB05048B	1/2"x4'x8' 32ft ²	35	16	Per Sheet	\$94.00



TRITON® BACKER BOARD

Crafted with our patented magnesium cement technology, the TRITON® Backer Board is the industry's most advanced cement tile backer and underlayment. Engineered for strength and simplicity, it offers a lightweight, easy-to-install substrate that scores and snaps with ease.



**INSECT
RESISTANT**



**CRYSTALLINE
SILICA FREE**



**FIRE
RESISTANT**



**MOLD &
MILDEW RESISTANT**



**MOISTURE
RESISTANT**



Incomplete Install Pictured - Waterproof Membrane required for completion.

BENEFITS

- **Higher-Performance:** High-strength cement technology with no peeling, swelling or delaminating
- **Contractor Friendly:** Ultra-lightweight and easy to score and snap, fasten, and install
- **People & Planet Safe:** Free of crystalline silica, VOCs, and harsh chemicals
- **Hassle Free:** Acts as a low-dust and durable substrate

STANDARDS

- ICC-ES PMG-1436 Listing
- Intertek certified Class 1 (ICC) and Class A (NFPA) product
- ANSI A118.9 Specifications for Test Methods and Specifications for Cementitious Backer Units




TRITON® BACKERBOARD	Part #	Dimensions	Pallet QTY	Pallets / Truck	Priced As	LIST PRICE
- Triton Backer Board 1/8"x3'x5'	TBK01235D	1/8"x3'x5' 15ft ²	150	28	Per Sheet	\$16.00
- Triton Backer Board 1/4"x3'x5'	TBK02535B1	1/4"x3'x5' 15ft ²	120	24	Per Sheet	\$18.50
- Triton Backer Board 1/4"x4'x8'	TBD02548D	1/4"x4'x8' 32ft ²	65	16	Per Sheet	\$56.00
- Triton Backer Board 1/2"x3'x5'	TBK05035B1	1/2"x3'x5' 15ft ²	70	22	Per Sheet	\$25.00
- Triton Backer Board 1/2"x4'x8'	TBD05048B	1/2"x4'x8' 32ft ²	35	16	Per Sheet	\$76.00

WATERTIGHT SYSTEM



WATERPROOF MEMBRANE

A flexible, durable membrane and vapor barrier engineered for high-moisture environments behind tiled surfaces.



Triton's Waterproof Membrane delivers a long-lasting, proven watertight seal - without the hassle of complex installation or extra materials. Designed for efficiency and performance, it's the reliable solution professionals trust to keep water out and jobs protected.

BENEFITS

- Manufactured to provide a consistent layer of protection throughout your wet area
- Vapor barrier and waterproof load bearing membrane
- Will not deteriorate with salts, oils, and chemicals
- Rated for use in steam showers
- Signature fleece weave for optimal adhesion
- Full choice of accessories, including seam tape, inside and outside corners, pipe collars, and mixing valve cover

STANDARDS

- ICC-ES PMG-1436 Listing
- ASTM E96 Water Vapor Transmission of Materials
- ANSI A118.10 Specifications for Load Bearing, Bonded, Waterproof Membranes for Thin-set Ceramic Tile & Dimension Stone Installation







WATERPROOF MEMBRANE	Part #	Dimensions	Carton QTY	Cartons / Pallet	Priced As	LIST PRICE
- Waterproof Membrane Roll 1m x 10m	TWP110M	39.4"x32.8' 108ft ²	12	9	Per Roll	\$140.00
- Waterproof Membrane Roll 1m x 30m	TWP130M	39.4"x98.4' 323ft ²	6	6	Per Roll	\$418.00
- Waterproof Membrane Master Roll	TWP371M	39.13" x ~3280'	-	-	Per Sqft.	\$1.20

WATERTIGHT SYSTEM



MEMBRANE COMPONENTS & ACCESSORIES



WATERPROOF MEMBRANE ACCESSORIES	Part #	Dimensions	Carton QTY	Cartons / Pallet	Priced As	LIST PRICE
(A) Waterproof Membrane Seam Tape	TWP575	5"x75'	24	12	Per Roll	\$46.00
- *Waterproof Membrane Sealing Kit	TACWPSK	n/a	10	-	Per Kit	\$68.00
(B) Waterproof Membrane Inside Corner	TACWPIC90	n/a	100	-	Per Corner	\$7.50
(C) Waterproof Membrane Outside Corner	TACWPOC90	n/a	100	-	Per Corner	\$7.50
(D) Waterproof Membrane Inside Corner (135)	TACWPIC135	n/a	25	-	Per Corner	\$16.00
(E) Waterproof Membrane Outside Corner (135)	TACWPOC135	n/a	25	-	Per Corner	\$16.00
(F) Waterproof Membrane Mixing Valve Cover	TACWPMC	n/a	25	-	Per Valve Cover	\$16.00
(G) Waterproof Membrane Pipe Collar	TACWPPC	4"x4"	25	-	Per Collar	\$10.00
(H) Waterproof Membrane 3/4" Drain Flashing	TACWPDF075	22"x22"	50	-	Per Flashing	\$54.00
(I) Waterproof Membrane 1.5" Drain Flashing	TACWPDF150	22"x22"	50	-	Per Flashing	\$54.00
(J) Watertight Adhesive	TAD100Z	-	24	20	Per Tube	\$22.00


*Waterproof Membrane Sealing Kit Includes 4 Inside Corner 90° (B), 2 Outside Corner 90° (C), 1 Mixing Valve Cover (F), 1 Pipe Collar (G)

WATERTIGHT SYSTEM



WATERPROOF NICHES, BENCHES & CURBS

A-K



BENCHES

L



SQUARE NICHE

M



RECTANGLE NICHE

N



DOUBLE NICHE

O-R



CURBS


WATERPROOF NICHES, BENCHES, AND CURBS		Part #	Dimensions	Carton QTY	Cartons / Pallet	Priced As	LIST PRICE
(A)	Triangle Bench-Mini	TACTB1010	10" x 10" x 10"	1	140	Per Bench	\$70.00
(B)	Triangle Bench-Small	TACTB1620	16" x 16" x 20"	1	50	Per Bench	\$122.00
(C)	Triangle Bench-Medium	TACTB1820	18" x 18" x 20"	1	50	Per Bench	\$156.00
(D)	Triangle Bench-Large	TACTB2320	23" x 23" x 20"	1	48	Per Bench	\$260.00
(E)	Rectangle Bench-Small	TACRB122036	12" x 20" x 36"	1	26	Per Bench	\$226.00
(F)	Rectangle Bench-Medium	TACRB142034	14" x 20" x 34"	1	26	Per Bench	\$260.00
(G)	Triangle Bench-Medium2	TACRB142036	14" x 20" x 36"	1	20	Per Bench	\$260.00
(H)	Rectangle Bench-Medium3	TACRB142042	14" x 20" x 42"	1	20	Per Bench	\$330.00
(I)	Rectangle Bench-Medium4	TACRB142048	14" x 20" x 48"	1	20	Per Bench	\$350.00
(J)	Rectangle Bench-Medium5	TACRB142060	14" x 20" x 60"	1	12	Per Bench	\$426.00
(K)	Rectangle Bench-Large	TACRB162036	16" x 20" x 36"	1	12	Per Bench	\$260.00
(L)	Square Niche	TACSN1212	12" x 12" x 3.5"	1	135	Per Niche	\$64.00
(M)	Rectangle Niche	TACRN1220	12" x 20" x 3.5"	1	100	Per Niche	\$74.00
(N)	Double Niche	TACDN1220	12" x 20" x 3.5"	1	100	Per Niche	\$84.00
(O)	Foam Curb 2.5"x48"	TACCURB248	2.5"D x 2.5"H x 48"L	1	96	Per Curb	\$36.00
(P)	Foam Curb 2.5"x72"	TACCURB272	2.5"D x 2.5"H x 72"L	1	96	Per Curb	\$52.00
(Q)	Foam Curb 4"x48"	TACCURB448	4"D x 4"H x 48"L	1	72	Per Curb	\$54.00
(R)	Foam Curb 4"x72"	TACCURB472	4"D x 4"H x 72"L	1	72	Per Curb	\$72.00

WATERTIGHT SYSTEM



PRE-SLOPED SHOWER PAN DRAIN KIT

A perfectly pitched, tile-ready solution for fast, reliable shower installations. Includes drain hardware (except for the color-specific Drain Grate, sold separately).



Eliminate the guesswork of mortar beds with Triton's Pre-Sloped Shower Pan Drain Kit - featuring a factory-applied waterproof membrane over a high-density EPS core. This all-in-one system delivers a consistent slope, a watertight surface, and a hassle-free installation that helps prevent costly callbacks.

BENEFITS

- Save days on installation with fewer steps
- Cleaner work site
- Faster install due to pre-applied Waterproof Membrane with 2% slope
- Drain system is compatible with traditional three-piece, locking collar drain
- Easy to cut and adjust to non-uniform construction

STANDARDS

- ICC-ES PMG-1436 Listing
- ASTM E96 Water Vapor Transmission of Materials
- ANSI A118.10 Specifications for Load Bearing, Bonded, Waterproof Membranes for Thin-set Ceramic Tile & Dimension Stone Installation



PRE-SLOPED SHOWER PAN DRAIN KIT	Part #	Dimensions	Carton QTY	Cartons / Pallet	Priced As	LIST PRICE
- Pre-Sloped Shower Pan 32"x60"ocd	TPS32600CD	32"x60" 13.33ft ²	1	30	Per Pan	\$400.00
- Pre-Sloped Shower Pan 32"x60"cd	TPS3260CD	32"x60" 13.33ft ²	1	30	Per Pan	\$400.00
- Pre-Sloped Shower Pan 36"x48"cd	TPS3648CD	36"x48" 12ft ²	1	30	Per Pan	\$364.00
- Pre-Sloped Shower Pan 36"x60"ocd	TPS36600CD	36"x60" 15ft ²	1	30	Per Pan	\$412.00
- Pre-Sloped Shower Pan 36"x60"cd	TPS3660CD	36"x60" 15ft ²	1	30	Per Pan	\$412.00
- Pre-Sloped Shower Pan 48"x48"cd	TPS4848CD	48"x48" 16ft ²	1	30	Per Pan	\$530.00
- Pre-Sloped Shower Pan 48"x72"cd	TPS4872CD	48"x72" 24ft ²	1	30	Per Pan	\$596.00
- Pre-Sloped Shower Pan 72"x72"cd	TPS7272CD	72"x72" 36ft ²	1	15	Per Pan	\$878.42


Each Pre-Sloped Shower Pan Drain Kit includes drain hardware (excluding the color-specific Drain Grate, sold separately). The pan and hardware ship together but are packaged in separate boxes.

MUD BED DRAIN KIT & COMPONENTS

THREE SIMPLE DECISIONS TO COMPLETE YOUR DRAIN SYSTEM

A: Are you installing with a pre-sloped shower pan, or traditional mud bed?

- If pan, order your appropriate Pre-Sloped Shower Pan Drain Kit based on size (pg.09).
- If mud bed, order the Mud Bed Drain Kit (pg.11).



B: What color do you want the Drain Grate to be? (colors represented on the next page)

- The Drain Grate is ordered and packaged separately from the drain kit selected in Step 'A'.

C: Do you need a 4" extension for the downtube?

- If yes, order the Triton Drain Extension in addition to your selections from Steps 'A' and 'B'.
- The 4" extension will be pre-fastened to the downtube and included in the drain kit packaging.

DRAIN COLORS, PRICING, AND AN EXAMPLE ORDER ON THE NEXT PAGE...

WATERTIGHT SYSTEM



DRAIN GRATE COLORS AND PRICING



NICKEL



BRONZE



CHROME



DARK BRONZE



MATTE BLACK



MATTE WHITE



GLOSS GOLD

EXAMPLE ORDER: 20 Traditional Mud Bed installations, needing chrome drains and 4" extensions

20 - TACDMBK - Mud Bed Drain Kit

20 - DGCHROME - Chrome Drain Grate

20 - TDEXT - 4" Triton Drain Extension

The 4" extension will be pre-fastened to the down tube and included in your selected drain kit packaging.


You'll receive two bags with this order: one for the Mud Bed Drain Kit and one for the Drain Grate.

MUD BED DRAIN KIT & COMPONENTS	Part #	Dimensions	Carton QTY	Cartons / Pallet	Priced As	LIST PRICE
- Mud Bed Drain Kit	TACDMBK	12"x12"	1	-	Per Kit	\$122.00
- Drain Grate - Bronze	DGBRONZE	4"x4"	1	-	Per Kit	\$40.00
- Drain Grate - Brushed Nickel	DGBRUSHN	4"x4"	1	-	Per Kit	\$40.00
- Drain Grate - Chrome	DGCHROME	4"x4"	1	-	Per Kit	\$40.00
- Drain Grate - Dark Bronze	DGDRKBRNZ	4"x4"	1	-	Per Kit	\$40.00
- Drain Grate - Gloss Gold	DGGOLD	4"x4"	1	-	Per Kit	\$40.00
- Drain Grate - Matte Black	DGBLACK	4"x4"	1	-	Per Kit	\$40.00
- Drain Grate - Matte White	DGWHITE	4"x4"	1	-	Per Kit	\$40.00
- Triton Drain Extension	TDEXT	4" Extension	1	-	Per Kit	\$10.00

WATERTIGHT SYSTEM

DECOUPLING MAT

Triton's Decoupling Mat is the industry's most installer-friendly solution - designed to adapt to the demands of tile flooring by absorbing compression, managing moisture, and preventing cracks. Its lightweight construction and superior performance make it the smart choice for lasting tile installations.



Three-layer construction with Mortar Lock Technology

BENEFITS

- Mortar Lock Mesh system for fast and easy mortar application
- Prevents mold growth and grout discoloration
- Dimpled geometry for enhanced strength and adhesion
- Advanced fleece weave provides crack isolation without delamination
- Compatible with most thin-set mortars

STANDARDS

- ASTM E96 Water Vapor Transmission of Materials
- ASTM C627 Evaluating Ceramic Floor Tile Installation Systems, rated Extra Heavy (19.2" OC) and Heavy (24" OC)



DECOUPLING MAT	Part #	Dimensions	Pallet QTY	Pallets / Truck	Priced As	LIST PRICE
- Decoupling Mat Roll 1m x 10m	TDC110M	39.4"x32.8' 108ft ²	16	48	Per Roll	\$190.00
- Decoupling Mat Roll 1m x 30m	TDC130M	39.4"x98.4' 323ft ²	6	60	Per Roll	\$550.00

BARRIER SYSTEMS



LIQUID MEMBRANE

Simple and reliable moisture barrier for tile and stone applications

AREAS OF USE: shower pan liner, shower walls, steam rooms, interior/exterior moisture barrier applications, interior waterproofing applications.

INTENDED SUBSTRATES: concrete, cement & magnesium cement, OSB or plywood (provided substrate not exposed to moisture), gypsum drywall.



BENEFITS

- Install in one coat with easy roll or spray-on application
- Create a super-bonding, seamless rubber-like membrane for a moisture barrier
- Dries fast for same-day tile installation
- Lower installation costs with significant savings
- Delivers crack isolation up to 1/4" with elastomeric properties
- Water-based, low odor formula

STANDARDS

- Uniform Plumbing Code Specifications for use as a Shower Pan Liner
- ANSI A118.10 Specifications for Load Bearing, Bonded, Waterproof Membranes for Thin-set Ceramic Tile and Dimension Stone Installation
- ANSI A118.12 Specifications for Crack Isolation Membranes
- ASTM E96 Standard Test Methods for Water Vapor Transmission of Materials



LIQUID MEMBRANE	Part #	Dimensions	Pallet Quantity	Lbs / Each	Priced As	LIST PRICE
- 3.5 Gallon	TLM035	3.5 Gallon Bucket	48	38	Per Bucket	\$250.00

LIQUID MEMBRANE ACCESSORIES	Part #	Dimensions	Pallet Quantity	Lbs / Each	Priced As	LIST PRICE
- Reinforcement Fabric 6" x 75'	TLMRF675	6"x4.75"x4.75"	12	1	Per Roll	\$40.00
- Reinforcement Fabric Inside Corner 90°	TLMRFIC901	7"x7"x3.5"	100	0.002	Per Corner	\$10.00
- Reinforcement Fabric Outside Corner 90°	TLMROC901	7"x7"x3.5"	100	0.003	Per Corner	\$10.00
- Reinforcement Fabric Inside Corner 90° (10 Pack)	TLMRFIC9010	7"x7"x3.5"	100	0.04	Per Pack	\$90.00
- Reinforcement Fabric Outside Corner 90° (10 Pack)	TLMROFC9010	7"x7"x3.5"	100	0.09	Per Pack	\$90.00



TRITON WATERTIGHT SYSTEMS
10-YEAR LIMITED WARRANTY

WHAT PRODUCTS ARE COVERED UNDER THIS LIMITED WARRANTY? Only the following Triton products (the "Products") are covered by this 10-Year Limited Warranty ("**Limited Warranty**"):

Product Lines: TRITON® Backer Board & Underlayment, TRITON® Waterproof Backer Board, and Triton's Waterproof Membrane and Accessories, Decoupling & Crack Isolation Mat, Pre-Sloped Shower Pan, Liquid Waterproofing Membrane and Accessories, Triton BK™ Backer Board & Tile Underlayment, Triton WPBK™ Waterproof Tile Backer Board, Triton WPTM Waterproof Membrane, Triton DCI™ Decoupling Mat, Triton PSTM Pre-Sloped Shower Pan, Triton LM Liquid Waterproof Membrane, JetBacker™, JetBoard™

TO WHOM DOES THIS LIMITED WARRANTY APPLY? This Limited Warranty extends only to the original purchaser of the Product and the first owner of a structure in which the Product is installed (the "Covered Person"). This Limited Warranty gives the Covered Person specific legal rights and the Covered Person may also have other rights, which vary from state to state.

COVERAGE AND CONDITIONS: Subject to the conditions and limitations as stated hereinafter, Triton Inc. ("Triton"), as the manufacturer of the Products, warrants that its Products, when properly installed, maintained, and used in accordance with the Product's installation instructions, will be free of any defects in condition, material, and workmanship for a period of ten (10) years from the date the Product is first installed (the "Warranty Period"). This Warranty Period is not extended if Triton repairs or replaces the Product subject to its obligations under this Limited Warranty. Failure to install, maintain or use the Product per the published instructions may adversely affect the Product's performance and will void this Limited Warranty.

WHAT DOES THIS LIMITED WARRANTY NOT COVER? This Limited Warranty does not cover any damage due to: (a) transportation; (b) storage; (c) improper use; (d) failure to follow the Product installation instructions or accepted industry installation practices, e.g., TCNA (Tile Council of North America) Guidelines, or failure to perform preventative maintenance; (e) modifications; (f) unauthorized repair; (g) normal wear and tear; (h) settlement or structural movement and/or movement of materials to which the Product is attached; (i) exceeding of the maximum design parameters for the Product, including, but not limited to, designed wind loads, if applicable; (j) use of accessories that do not properly receive and/or secure the Product; or (k) external causes such as acts of God, accidents, abuse, or other actions or events beyond Triton's reasonable control. Further, efflorescence is considered to be a natural occurrence with cementitious materials and is therefore not considered to be a defective condition and is not covered by this Limited Warranty. It is the responsibility of the Covered Person to ensure the suitability of all building materials and all associated building materials for the Covered Person's intended use.

EXCLUSIVE REMEDIES: With respect to any defective Product during the Warranty Period, Triton shall, in its sole discretion, either (a) provide replacement Product in an amount equal to the defective portion of the Product; or (b) refund an amount not to exceed the original square foot purchase price of the Product verified to be defective. This is the Covered Person's exclusive remedy and Triton's sole liability under this Limited Warranty. Under no circumstances and in no event shall Triton be liable for any labor charges or other expenses whatsoever in connection with the removal or installation of either the original or replacement Product.

LIMITATION OF LIABILITY: THIS LIMITED WARRANTY IS GIVEN IN LIEU OF ANY OTHER WARRANTY. ALL OTHER EXPRESSED OR IMPLIED WARRANTIES, REPRESENTATIONS, OR CONDITIONS EXPRESSED, ARE DISCLAIMED AND EXCLUDED. THE REMEDIES ABOVE ARE THE COVERED PERSON'S SOLE AND EXCLUSIVE REMEDIES FOR BREACH OF THIS LIMITED WARRANTY. TO THE EXTENT NOT LEGALLY WAIVABLE, THE DURATION OF THE



IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE LIMITED TO THE DURATION OF THE WARRANTY PERIOD. TRITON SHALL UNDER NO CIRCUMSTANCES BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL, OR PUNITIVE DAMAGES OR LOSSES, WHETHER DIRECT OR INDIRECT, ARISING OUT OF OR OTHERWISE CONNECTED TO FAILURE OF THE PRODUCT OR THE ASSEMBLY OF WHICH THE PRODUCT IS A PART. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS OR EXCLUSIONS MAY NOT APPLY TO THE COVERED PERSON.

TRANSFERABILITY: This Limited Warranty is not transferable or assignable, unless approved in writing by an officer of Triton or required by specific state law.

MODIFICATIONS TO LIMITED WARRANTY: No charges or modification of any terms or conditions of this Limited Warranty are allowed unless authorized by written agreement and signed by an officer of Triton.

CLAIMS UNDER THIS LIMITED WARRANTY: To make a claim under this Limited Warranty, the Covered Person must provide Triton with a written warranty claim sent to Attn: Triton Warranty Claims, 560 East Richey Road, Houston, Texas 77073 within thirty (30) days of the discovery of any alleged defect in the Product covered by this Limited Warranty and before beginning any permanent repairs or removal of Product. Such written warranty claim must be accompanied by the date and proof of purchase of the Product, the name and address of all installers, and proof of the Covered Person's ownership of the structure in which the Product is installed, as applicable. If the Covered Person fails to provide such written notice in accordance with the foregoing terms, the claim for breach of warranty is waived and this Limited Warranty shall be null and void as to such defects. Triton reserves the right at its election and as a condition of this Limited Warranty to inspect and test the alleged failed and defective condition.

Last Revised: July 2025



THE SAFE CHOICE FOR THE INSTALLER, HOMEOWNER, AND ENVIRONMENT!



info@triton-mgo.com
(888) 348-4366

TRITON-MGO.COM

560 E Richey Rd, Houston TX 77073